DDA Registry 83-0527/1

C-O-N-F-I-D-E-N-T-I-A-L

1 4 MAR 1983

MEMORANDUM	FOR:	Chairman,	Committee	on	Imagery
		Oliu i i iliu i i		UII	Tilladel

Requirements and Exploitation, IC Staff

FROM:

Harry E. Fitzwater

Deputy Director for Administration

SUBJECT:

Increased CAMS II (P/S) Training Requirements

25**X**1

REFERENCE:

Your Memoranda, DCI/ICS 82-1426 and DCI/ICS

83-1404, dtd 6 Dec 82 and 14 Feb 83, Same Subject

- 1. We acknowledge and appreciate your concern regarding CAMS II (P/S) training as expressed in the references. Specifically, we are taking the following steps to satisfy the three areas of concern which you addressed:
 - Classroom Space: We have arranged for space within the Ames building on a temporary basis (Oct 83 through Mar 84). This will provide sufficient space for a temporary classroom which covers your critical time period (Feb through Mar 84) along with sufficient lead time for instructor preparation, data base building, etc. This will also provide flexibility for both COMIREX and OTE in scheduling and determining the optimum location for classes.
 - Terminals/Communications Lines: Communications lines to and within Ames are not a problem. The Office of Communications will be able to provide sufficient lines within Ames by Oct 83 and will schedule them as soon as an exact location is identified. We believe that ODP will be able to provide sufficient terminals from the CAMS 84 allocation in Oct 83.
 - <u>Instructors</u>: OTE has assured us that the additional instructors required for CAMS II (P/S) training will be available in Jan 84. This may necessitate special

A/MS ig - l -	HEF Chrono	(11Mar83)	25X1 25X1
- - -	DDA Subject DDA Chrono DDA/MS Subject DDA/MS Chrono	C-O-N-F-I-D-E-N-T-I-A-L	
1 -	D/ODP, 2000 Hu	Approved For Release 2007/12/13 : CIA-RDP85B01152R00020028001	25 X 1

C-O-N-F-I-D-E-N-T-I-A-L

arrangements between OTE, ODP, and the CAMS II (P/S) contractor, however, we are confident that adequate instructors will be available to	25 X 1
meet the overall CAMS II training requirements according to your integrated training plan.	25 X 1
2. With the above actions, we will be in a position to satisfy your training requirements. Please contact me if we can be of further assistance in this matter.	25 X 1

Harry E. Fitzwater

Harry E. Fitzwater

2

Approved For Release 2007/12/13: CIA-RDP85B01152R000200280017-0

KOUTING A	IND TRANSMITTAL SLIP	Der	
Name, office sy building, Agency A EO/DDA John ADDA	mbol, room number, /Post)		Initials Date Initials Date 14 MA 14 MA 14 MA 19 MA
Action Approval As Requested Circulate Comment Coordination	File For Clearance For Correction For Your Information Investigate Justify	Per (

Dassume this
Was Coordinated With
DOTE? yes
also ODP & COMIREX

ROM: (Name or	orm as a RECORD of appro- clearances, and similar ac Agency/Post)	
	DDA/MS	Room No.—Bidg. 7D18 HO
041-102		Phone No

25**X**1

25X1